



SIGNAL WIRING
 H2S ANALYZER ELECTRONICS
 120 VAC ANALYZER POWER

SIGNAL WIRING
 CO2 ANALYZER ELECTRONICS
 120 VAC ANALYZER POWER
 SEAL IN FIELD, TYP. 5

SAMPLE BYPASS
 SAMPLE SUPPLY
 (30 PSIG MAX)
 RELIEF VENT
 120 VAC
 SOLENOID VALVE
 SV1
 SV2
 CO2 CELL OUTLET
 H2S CELL OUTLET

30 1/4
 28 5/8
 66
 64
 56
 36
 6

ø1/2, TYP. 4
 1, TYP. 4

DOOR REMOVED FOR DETAIL

120 VAC HEATER POWER

AREA CLASSIFICATION

CLASS 1, DIV. 2, GR. B, C, & D

UNLESS OTHERWISE SPECIFIED: SPECIFIED DIMS. ARE IN INCHES TOLERANCES: .XXX ± .010 .XX ± .030 .X ± .050 ANGULAR: ± 0.5° INTERPRET GD&T PER ASME Y14.5M-1994 3rd angle projection	DRAWN: J. GONZALEZ DATE: 13JUNE08	SpectraSensors 11027 Arrow Route, Rancho Cucamonga, CA 91730 909-948-4100 www.spectrasensors.com
	CHK: G. PARKES DATE: 13JUNE08	
	APVD: K. KLAVUHN DATE: 13JUNE08	MATERIAL: SEE SEPERATE B.O.M.
	FINISH: 	SIZE: D 3XFV0 CAGE CODE: 8400002088 SCALE: 1:1
		REV: A SHEET 1 of 2 AUTOCAD FILE: 8400002088.dwg

NOTES: UNLESS OTHERWISE SPECIFIED

The information contained in this drawing is the sole property of SpectraSensors, Inc. Any reproduction in part or in whole, without the written permission of SpectraSensors, Inc. is prohibited.

8400002088

A

A

1

